

System Specification

Model number	Cubee Plus Series		
	CP-615	CP-615S	CP-815
LCD & Touch Panel			
LCD Panel	15" LED-backlit		
MAX. Resolution	1024 x 768 (Default)		
Brightness	250 cd/m ²		
Touch Screen	Flat Resistive		
System Configuration			
CPU	Intel® Atom™ D525 1.8GHz (Dual-core)	Intel® Celeron® J1900 2.0/2.4GHz(burst) (Quad-core)	Intel® Celeron® 1.8GHz Intel® Core™ i3 1.8GHz
System Memory	204Pin DDR3 RAM*2 slots, Up to 4GB	204Pin DDR3L RAM*1 slot, Up to 8GB	204Pin DDR3 RAM*2 slots, Up to 8GB
Graphic Memory	Shared memory up to 224MB		
HDD	1 x 2.5" SATA HDD or 1 x SSD		
SATA DOM	Support 1GB to 16GB		
I/O Ports			
Parallel Port	1 x LPT port (optional,cable output)		
Serial Ports	3 x DB-9 COM ports (COM1/3/4) 1 x RJ-45 COM port (COM5)	3 x DB-9 COM ports (COM1/2/6) 1 x RJ-45 COM port (COM4)	
	(All with DC 5V/12V output on Pin 9 selectable)		
USB Ports	6 x USB 2.0 ports		
LAN Port	1 x (10/100/1000M bps auto)		
Keyboard Port	1 x PS/2 keyboard		
Audio Port	1 x Line out		
VGA Port	1 x DB-15 VGA port		
Cash Drawer Port	1 x RJ-12 port (12V/24V selectable)		
Speaker Output	2 x 1W speaker		
DC Output	1 x DC 12V output		
Powering System			
Power Supply	External DC power supply (placed inside the system base) AC 90V to 264V full range		
Power Button	1 x System on/off button		
Brightness Control	Yes		
Physical Dimensions			
Wall mount	VESA 75*75mm compliant		
System Dimension (L x W x D)	Desktop model: 384*360*200mm/ VESA model: 284*360*75mm (without stand)		
System Weight	Desktop model:9Kg/ VESA model: 6Kg		
Safety & Environment			
Product Certification	CE / FCC/CCC/CB/BSMI/LVD Certificated		
Operation Temperature	0°C to 40°C		
Storage Temperature	-25°C to 70°C		
OS Compatibility	Windows XP/Windows 7/ WEPOS / POSReady 2009/ POSReady 7 / Linux Kernel 2.6 or above	Windows 7/ POSReady 7 / Windows 8.1 Industry / Windows 10 / Linux Kernel 2.6 or above	Windows XP/WEPOS/ POSReady 2009/Windows 7/ POSReady 7 / Windows 8.1 Industry/ Linux Kernel 2.6 or above

Adding flexibility and functionality to POS operation



VFD/LCM customer display



8"/" 2nd LCD display



2-in-1 identification reader



Barcode scanner (VESA model)

Cubee Plus⁺

15" Simple, Practical, Valuable Touch POS Terminal



The Ultimate Future-proof POS Terminal Guarantees Lowest Total Cost of Ownership

The right way to evaluate a POS system is not just by the upfront costs but the total cost over time. We are confident that the revolutionary system design of DataVan Cubee Plus providing superior flexibility, upgradeability and serviceability, which deliver great value-added features. Come enjoy the competitive edges today.

Flat touchscreen


Featuring a seamless bezel-free design, the screen is easy to clean and water/dust resistant.



Integrated peripherals

Designed to help you easily build a complete POS solution you need.

Utility and practical designs

- 

1 Anti-reflective, residue-free matte display
- 

2 Smart cable management (integrated adapter)
- 

3 Easy-access USB ports
- 

4 Support VESA mount



Fits various retail & hospitality environments



Service and upgrade with ease

The revolutionary embedded system comes with tool-free mechanism. All the services and upgrades can be done with minimal operation disruption.



Proven and reliable embedded computing solutions

Energy-efficient Dual-core solution

- Intel® ATOM™ D525 1.8GHz CPU

Fanless Quad-core solution

- Intel® Celeron® J1900 2.0GHz/2.4GHz(burst)CPU

Mobile 3rd gen processor solutions

- Intel® Celeron® 1.8 GHz
- Intel® Core™ i3 1.8 GHz

